## **CLAIM AMENDMENTS**

191 (amended). A folded sheet metal fastener comprising:

an upper free-ended top section having an upper top engageable continuous hole;

a lower free-ended top section having a lower top engageable continuous hole;

a bottom section having a bottom engageable continuous hole;

a left section and a right section, the top sections and the bottom section being connected by the left section and the right section; and

a front snapping segment and a back snapping segment, wherein at least one of said segments is connected to at least one of the upper free-ended top section and the lower free-ended top section, substantially between the planes of <u>the</u> left section and the right section.

192 (original). A fastener as defined in claim 191, wherein both the front and the back snapping segments are connected to the lower free-ended top section.

193 (original). A fastener as defined in claim 191, wherein the upper free-ended top section provides support to the lower free-ended top section.

194 (original). A fastener as defined in claim 192, wherein the upper free-ended top section provides support to the lower free-ended top section.

195 (original). A fastener as defined in claim 191, wherein both the front and the back snapping segments are connected to the upper free-ended top section.

196 (original). A fastener as defined in claim 195, further comprising side anti-sliding extensions connected to the lower free-ended top section.

197 (original). A fastener as defined in claim 191, wherein at least one of the snapping segments comprises a portion selected from anti-opening portion, anti-sliding portion, and a combination thereof.

198 (original). A fastener as defined in claim 192, wherein at least one of the snapping segments comprises a portion selected from anti-opening portion, anti-sliding portion, and a combination thereof.

199 (original). A fastener as defined in claim 193, wherein at least one of the snapping segments comprises a portion selected from anti-opening portion, anti-sliding portion, and a combination thereof.

200 (original). A fastener as defined in claim 194, wherein at least one of the snapping segments comprises a portion selected from anti-opening portion, anti-sliding portion, and a combination thereof.

201 (original). A fastener as defined in claim 195, wherein at least one of the snapping segments comprises a portion selected from anti-opening portion, anti-sliding portion, and a combination thereof.

202 (original). A fastener as defined in claim 196, wherein at least one of the snapping segments comprises a portion selected from anti-opening portion, anti-sliding portion, and a combination thereof.

205 (amended). A vehicle comprising objects connected with a folded sheet metal fastener, the fastener comprising:

an upper free-ended top section having an upper top engageable continuous hole;

a lower free-ended top section having a lower top engageable continuous hole;

a bottom section having a bottom engageable continuous hole;

a left section and a right section, the top sections and the bottom section being connected by the left section and the right section; and

a front snapping segment and a back snapping segment, wherein at least one of said segments is connected to at least one of the upper free-ended top section and the lower free-ended top section, substantially between the planes of <u>the</u> left section and the right section.

206 (original). A vehicle as defined in claim 205, wherein both the front and the back snapping segments are connected to the lower free-ended top section.

207 (original). A vehicle as defined in claim 205, wherein the upper free-ended top section provides support to the lower free-ended top section.

208 (original). A vehicle as defined in claim 206, wherein the upper free-ended top section provides support to the lower free-ended top section.

209 (original). A vehicle as defined in claim 205, wherein both the front and the back snapping segments are connected to the upper free-ended top section.

210 (original). A vehicle as defined in claim 209, wherein the fastener further comprises side anti-sliding extensions connected to the lower free-ended top section.

- 211 (original). A vehicle as defined in claim 205, wherein at least one of the snapping segments comprises a portion selected from anti-opening portion, anti-sliding portion, and a combination thereof.
- 212 (original). A vehicle as defined in claim 206, wherein at least one of the snapping segments comprises a portion selected from anti-opening portion, anti-sliding portion, and a combination thereof.
- 213 (original). A vehicle as defined in claim 207, wherein at least one of the snapping segments comprises a portion selected from anti-opening portion, anti-sliding portion, and a combination thereof.
- 214 (original). A vehicle as defined in claim 208, wherein at least one of the snapping segments comprises a portion selected from anti-opening portion, anti-sliding portion, and a combination thereof.
- 215 (original). A vehicle as defined in claim 209, wherein at least one of the snapping segments comprises a portion selected from anti-opening portion, anti-sliding portion, and a combination thereof.

216 (original). A vehicle as defined in claim 210, wherein at least one of the snapping segments comprises a portion selected from anti-opening portion, anti-sliding portion, and a combination thereof.